

TENSAW®

Half-Frame High Performance Eyewear



Black and Gray Frame

Part	Lens
VGSB310T•	Clear Anti-Fog
VGSB318T•	Bronze Anti-Fog
VGSB322T•	Forest Gray Anti-Fog
VGSB323•	Polarized Forest Gray
VGSB327T•	Vermilion Anti-Fog
VGSB330T•	Yellow Anti-Fog
VGSB331•	Polarized Green Mirror
VGSB365T•	Ice Blue Mirror Anti-Fog
VGSB370T•	Silver Mirror Anti-Fog

White and Gray Frame

Part	Lens
VGSW365T•	Ice Blue Mirror Anti-Fog

White and Blue Frame

Part	Lens
VGSWB365T•	Ice Blue Mirror Anti-Fog

White and Red Frame

Part	Lens
VGSWR351•	Polarized Sky Red Mirror
VGSWR355T•	Sky Red Mirror Anti-Fog














- Adjustable rubber nosepiece.
- Co-injected temples for snug, secure fit.
- Stylish half-frame high performance eyewear.
- Anti-fog, scratch resistant polycarbonate lens provides 99% UVA/B/C protection.

GENERAL SPECIFICATION

Bridge: 17mm
Lens Base: 8 Curve
Lens Size Diagonal: 74mm
Lens Size Vertical: 40mm
Lens Thickness: 2.0mm
Overall Length (Lens-Tip): 115mm
Overall Width (Hinge-Hinge): 130mm
Weight: 30g
PD: 64mm
Closest point between lenses: 17mm
Closest point between temple tips: 95mm

PACKAGING
Static sticker on bottom left lens
Temple sticker hanging from left temple
Each glass placed into color box + UPC code label
Sold individually in Venture Gear branded box
Case: 60 pcs

COMPONENT	MATERIAL	FEATURES
Lens	Polycarbonate	Full eye protection 8 curve lens
Frame	Impact Polycarbonate	Dual lens frame with side protection
Temple	Polycarbonate/Rubber	Spatula with double injection rubber
Hinge	Polycarbonate	Integral to frame/temple
Screw	Stainless steel standard hinge screw	

PART	LENS	LENS MARKING	FRAME MARKING
VGSB310T	 Clear Anti-Fog	P + U6	P Z87 +
VGSB318T	 Bronze Anti-Fog	P + S	P Z87 +
VGSB322T	 Forest Gray Anti-Fog	P + S	P Z87 +
VGSB323	 Polarized Forest Gray	P + S	P Z87 +
VGSB327T	 Vermilion Anti-Fog	P + S	P Z87 +
VGSB330T	 Yellow Anti-Fog	P + S	P Z87 +
VGSB331	 Polarized Green Mirror	P + S	P Z87 +
VGSB365T	 Ice Blue Mirror Anti-Fog	P + S	P Z87 +
VGSB370T	 Silver Mirror Anti-Fog	P + S	P Z87 +
VGSW365T	 Ice Blue Mirror Anti-Fog	P + S	P Z87 +
VGSWB365T	 Ice Blue Mirror Anti-Fog	P + S	P Z87 +
VGSWR351	 Polarized Sky Red Mirror	P + S	P Z87 +
VGSWR355T	 Sky Red Mirror Anti-Fog	P + S	P Z87 +

LENS MARKING

Symbols:

- P: Manufacturer's mark
- Z87: ANSI standard for Eye and Face protection devices
- +: High Impact
- H: Small Head Size
- S: Special Purpose

UV Filter Transmittance:

- U2: Max Effective Far UV= .1% / Max Near UV= 3.7%
- U2.5: Max Effective Far UV= .1% / Max Near UV= 2.3%
- U3: Max Effective Far UV= .07% / Max Near UV= 1.4%
- U4: Max Effective Far UV= .04% / Max Near UV= .5%
- U5: Max Effective Far UV= .02% / Max Near UV= .2%
- U6: Max Effective Far UV= .01% / Max Near UV= .1%

Visible Light Filters:

- L1.3: 85% Max. Visible Light
- L1.7: 55% Max. Visible Light
- L2.5: 29% Max. Visible Light
- L3: 18% Max. Visible Light

FRAME MARKING

Symbols:

- P: Manufacturer's mark
- Z87: ANSI standard for Eye and Face protection devices
- +: High Impact
- P c SEI CAN/CSA Z94.3-07: CAN/CSA for protection devices